





Valid from 01.01.2012
Supersedes all previously issued spare parts lists

Subject to change without prior notice.




Type: KR 1403, 220-240V/380-415V 50Hz

ARTICLE NO.	DRAWING NO.	DESCRIPTION	QUANTITY
240'046	1	Housing panel, left, brown colour	1
240'719	1	Housing panel, left, black colour	1
241'376	1	Housing panel, left, red colour	1
220'177	1	Housing panel, left chrome steel colour	1
243'265	2	Housing panel complete, front, brown colour	1
243'266	2	Housing panel complete, front, black colour	1
243'267	2	Housing panel complete, front, red colour	1
243'269	2	Housing panel complete, front, chrome steel colour	1




Type: KR 1403, 220-240V/380-415V 50Hz

ARTICLE NO.	DRAWING NO.	DESCRIPTION	QUANTITY
220'173	3	Housing panel, right, chrome steel colour	1
241'329	3	Housing panel, right, brown colour	1
241'330	3	Housing panel, right, black colour	1
241'373	3	Housing panel, right, red colour	1
243'270	4	Housing panel, brown colour	1
243'271	4	Housing panel, black colour	1
243'272	4	Housing panel, red colour	1
243'277	4	Housing panel, chrome steel colour	1




Type: KR 1403, 220-240V/380-415V 50Hz

ARTICLE NO.	DRAWING NO.	DESCRIPTION	QUANTITY
241'331	5	Discharge complete, brown colour	1
241'254	5	Discharge complete, black colour	1
241'368	5	Discharge complete, red colour	1
241'359	5	Discharge housing, chrome steel colour	1
230'220	6	Vibrator plate	1
241'281	7	Bottom frame black colour	1
230'205	8	Tray black	1
230'286	9	Bottom panel complete	1
241'138	10	Motor assembly complete, standard	1
241'448	10	Motor assembly grinding discs ½ plan	1
241'405	11	Hopper	1
241'400	12	Cover lid	1




Type: KR 1403, 220-240V/380-415V 50Hz

ARTICLE NO.	DRAWING NO.	DESCRIPTION	QUANTITY
240'198	14	Magnet with holder	1
250'918	15	Screw DIN 7971 C 3.5x9.5	2
241'396	16	Hopper attachment front	4
251'502	17	Washer M6 DIN 6797 A	20
250'300	18	Screw ISO 4017-M6x12	16
240'126	19	Bolt	4
250'451	20	Pan Head-Screw	4
241'288	21	Screw for fixing the hopper	4
241'457	22	Screw for cover lid	2
252'408	23	Plate spring 16x8.2x0.9/1.25	2
251'508	24	Washer 5.3x10x1 DIN 125	2
251'012	25	Locknut M5 DIN 985	2




Type: KR 1403, 220-240V/380-415V 50Hz

ARTICLE NO.	DRAWING NO.	DESCRIPTION	QUANTITY
250'403	27	Screw ISO 1207-M4x8 z1	2
251'528	28	Washer M5 DIN 6797 A	4
241'113	29	Headless screw	4
250'915	30	Tapping screw 2.2x4.5 DIN 7971C	6
230'257	31	Operating panel KR, german language	1
230'258	31	Operating panel KR, english language	1
	31	Operating panel KR, different languages	1
251'010	32	Hexagonal nut PG11 L DIN 46320-FS/PA	1
240'158	33	Cable 5 x 1	1
257'114	34	Breaker with no-voltage release	1




Type: KR 1403, 220-240V/380-415V 50Hz

ARTICLE NO.	DRAWING NO.	DESCRIPTION	QUANTITY
250'907	35	Tapping screw ISO 1481-4.2x6.5	4
230'049	36	Collar	1
250'319	38	Screw ISO 4017-M8x20, 8.8	4
251'521	39	Lock washer M8 DIN 6798 A	4




Type: KR 1403, 220-240V/380-415V 50Hz

ARTICLE NO.	DRAWING NO.	DESCRIPTION	QUANTITY
255'707	40	Rubber joint	2
251'516	41	Washer M4	3
250'607	42	Screw ISO 1580-M4x6	2
250'904	43	Screw M4x12 A2	1
255'711	44	Cable gland	1
240'411	45	Washer	2
240'127	46	Rod	1
250'310	47	Screw ISO 4017-M6x18	1
251'538	48	Spring washer M6 DIN 127 B zincked	1
254'902	49	Swivel head M6	1
251'501	50	Washer 6.4x12.5x1.6 DIN 125	1
240'264	51	Eccentric 904-1403	1




Type: KR 1403, 220-240V/380-415V 50Hz

ARTICLE NO.	DRAWING NO.	DESCRIPTION	QUANTITY
251'516	41	Washer M4	6
240'234	61	Ground plate	1
251'004	62	Hexagonal nut M4x0.8d DIN 934	4
251'515	63	Washer M3	4
251'003	64	Hexagonal nut M3x0.8d DIN 934 zincked	2
250'409	69	Screw ISO 7048-M4x16 Ks H zincked	2
250'401	70	Screw ISO 1207-M3x14 zincked	2
241'335	71	Bottom panel	1
256'403	75	Jointing strip 6.3 8 pole	1
257'000	76	Contactor	1




Type: KR 1403, 220-240V/380-415V 50Hz

ARTICLE NO.	DRAWING NO.	DESCRIPTION	QUANTITY
255'501	81	O-ring 5.34x43.82	1
220'025	82	Stationary disc flange Ø 140	1
275'700	83	Grinding disc set Ø 140	1
275'701	83	Grinding disc set Ø 140 ½ plan	1
250'484	84	Screw ISO ISO 1207-M6x10 A2	8
240'490	85	Rotating disc flange Ø 140, with felt ring	1
241'141	86	Stator pre-assembled	1
254'405	87	Rollpin 5x24 VSM 12785	1
240'124	88	Ball bearing sleeve	1
210'027	89	Housing	1
230'052	90	Rotor shaft	1
240'000	91	Felt ring	1




Type: KR 1403, 220-240V/380-415V 50Hz

ARTICLE NO.	DRAWING NO.	DESCRIPTION	QUANTITY
251'536	65	Washer M8 Geomet 500	1
250'422	94	Screw ISO 1207-M6x16 zincked	4
251'518	95	Washer M6, Geomet 500	11
250'332	96	Screw ISO 4017-M8x20 A2	1
242'890	97	Washer D38/8.1x3	1
250'312	98	Screw ISO 4014-M6x65 zincked	3
250'424	99	Screw ISO 7048-M6x25 Ks H zincked	4
250'413	100	Screw ISO 7048-M5x6 Ks H zincked	4




Type: KR 1403, 220-240V/380-415V 50Hz

ARTICLE NO.	DRAWING NO.	DESCRIPTION	QUANTITY
240'189	107	Ventilation hood	1
254'806	108	Clamp collar D 37.5x9	1
255'900	109	Fan blade V 100R	1
230'053	110	Bearing support housing	1
252'014	111	Circlip 25Ax1.2 DIN 471	2
254'002	112	Ball bearing 6205.2ZR 25x52x15	2
252'405	113	Plate spring 51.5x35.5x0.6/1.50	8
252'013	114	Circlip 52ix2 DIN 472	1




Type: KR 1403, 220-240V/380-415V 50Hz

ARTICLE NO.	DRAWING NO.	DESCRIPTION	QUANTITY
251'528	28	Washer M5 DIN 6797 A	4
241'113	29	Headless screw	4
250'915	30	Tapping screw 2.2x4.5 DIN 7971C	6
230'257	31	Operating panel KR, german language	1
230'258	31	Operating panel KR, english language	1
	31	Operating panel, different language	1
251'516	41	Washer M4 zincked	2



Type: KR 1403, 220-240V/380-415V 50Hz

ARTICLE NO.	DRAWING NO.	DESCRIPTION	QUANTITY
241'328	121	Discharge housing, brown colour	1
241'255	121	Discharge housing, black colour	1
241'367	121	Discharge housing, red colour	1
230'298	121	Discharge housing, chrome steel colour	1
255'811	122	Handle M6 Ø 22, black colour	1
240'869	123	Discharge tube	1
241'403	124	Tension spring	2
240'197	125	Rubber tube assembly	1
241'440	126	Bearing 12/8x10 PA66	2
255'703	127	Rubber buffer	2
250'215	128	Screw ISO 009-M6x12 A2	2
250'600	129	Screw SO 1580-M4x8 zincked	2
241'208	130	Flat link	2



Type: KR 1403, 220-240V/380-415V 50Hz

ARTICLE NO.	DRAWING NO.	DESCRIPTION	QUANTITY
240'488	141	Adjusting cone	1
241'276	142	Adjusting knob, german language	1
240'536	142	Adjusting knob, english language	1
	142	Adjusting knob, different language	1
240'078	143	Spring F/UG/804-1403	1
240'034	144	Cover F/UG/804-1403	1
250'200	145	Screw ISO 2010-M4x14	1